



HEDIS® is a widely used set of performance measures developed and maintained by NCQA. These are used to drive improvement efforts surrounding best practices.

We want to help reduce your administrative burden in reporting HEDIS data to us each year during the HEDIS medical review season, so we have prepared the following list of CPT®, ICD-10-CM, and HCPCS codes. Adding these codes to your claims will help us identify additional information about each visit and improve the accuracy of reporting quality measures.



# Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents (WCC)

The codes in this chart identify weight assessment, counseling for nutrition, and physical activity. Member-collected biometric values (height, weight, BMI percentile) are eligible for use in the following ways:

| Description             | CPT | ICD-10-CM  | HCPCS  |
|-------------------------|-----|--|--|
| BMI Percentile          |     | Z68.51: Body mass index [BMI] pediatric, less than 5th percentile for age Z68.52: Body mass index [BMI] pediatric, 5th percentile to less than 85th percentile for age Z68.53: Body mass index [BMI] pediatric, 85th percentile to less than 95th percentile for age Z68.54: Body mass index [BMI] pediatric, greater than or equal to 95th percentile for age |  |
| Nutrition<br>Counseling |     |  | G0270: Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), individual, face-to-face with the patient, each 15 minutes  G0271: Medical nutrition therapy, reassessment, and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (two or more individuals), each |

30 minutes

### Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents (WCC) (cont.)

| Description                        | CPT | ICD-10-CM | HCPCS  |
|------------------------------------|-----|-----------|--|
| Nutrition<br>Counseling<br>(cont.) |     |           | G0447: Face-to-face behavioral counseling for obesity, 15 minutes S9449: Weight management classes, non-physician provider, per session S9452: Nutrition classes, non-physician provider, per session S9470: Nutritional counseling, dietitian visit |
| Physical Activity<br>Counseling    |     |           | G0447: Face-to-face behavioral counseling for obesity, 15 minutes S9451: Exercise classes, non-physician provider, per session   |

# Well-Child Visits in the First 30 Months of Life (W30) and Child and Adolescent Well-Care Visits (WCV)

Codes to identify well-care visits:

| CPT                  | HCPCS  |
|----------------------|--|
| 99381, 99382, 99383, | G0438: Annual wellness visit; includes a personalized prevention plan of service   |
| 99384, 99385, 99391, | (PPS), initial visit   |
| 99392, 99393, 99394, | G0439: Annual wellness visit, includes a personalized prevention plan of service   |
| 99395, 99461         | (PPS), subsequent visit  |
|                      | \$0302: Completed early periodic screening diagnosis and treatment (EPSDT) service |
|                      | (list in addition to code for appropriate evaluation and management service)       |



#### Childhood Immunizations Status (CIS-E)

Vaccines administered on or before their second birthday:

- DTap (diphtheria, tetanus, acellular pertussis):
   At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- IPV (inactivated polio vaccine): At least three
  vaccinations with different dates of service. Do not
  count a vaccination administered prior to 42 days after
  birth.
- MMR (measles, mumps, and rubella): At least one vaccination on or between the child's first and second birthdays.
- HiB (haemophilus influenza type b): At least three vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- Hep B (hepatitis B): At least three vaccinations
  with different dates of service. One of the three
  vaccinations can be a newborn hepatitis B vaccination
  during the eight-day period that begins on the date of
  birth and ends seven days after the date of birth.
- VZV (varicella): At least one vaccination with a date of service on or between the child's first and second birthdays. History of varicella zoster (chicken pox) illness) on or before the child's second birthday.
- PCV (pneumococcal conjugate vaccine): At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.

- Hep A (hepatitis A): At least one vaccination with a date of service on or between the child's first and second birthdays.
- RV (rotavirus): At least two doses of the two-dose rotavirus vaccine on different dates of service on or before the child's second birthday. Do not count a vaccination prior to 42 days after birth:
- or at least three doses of the three-dose rotavirus vaccine on different dates of service on or before the child's second birthday.
- or at least one dose of the two-dose rotavirus vaccine and at least two doses of the three-dose rotavirus vaccine all on different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 42 days after birth.
- Flu (influenza): At least two influenza vaccinations with different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 180 days after birth:

An influenza vaccination recommended for children two years and older administered on the child's second birthday meets criteria for one of the two required vaccinations.

#### Codes to identify vaccine procedures:

| Description                           | СРТ   |
|---------------------------------------|---|
| Diphtheria, Tetanus, Pertussis (DTaP) | 90697, 90698, 90700, 90723  |
| Inactivated Polio Vaccine (IPV)       | 90697, 90698, 90713, 90723  |
| Measles, Mumps, and Rubella (MMR)     | 90707, 90710  |
| Haemophilus Influenzae Type B (HiB)   | 90644, 90647, 90648, 90697, 90698, 90748  |
| Varicella Zoster (VZV)                | 90710, 90716  |
| Hepatitis B (HBV)                     | 90697, 90723, 90740, 90744, 90747, 90748  |
| Pneumococcal Conjugate (PCV)          | 90670, 90671  |
| Hepatitis A                           | 90633   |
| Rotavirus (RV): Two dose schedule     | 90681   |
| Rotavirus (RV): Three dose schedule   | 90680   |
| Influenza                             | 90655, 90657, 90661, 90673, 90674, 90685, 90686, 90687, 90688, 90689, 90756 <b>LAIV:</b> 90660, 90672 |


#### Immunizations for Adolescents (IMA-E)

Vaccines administered on or before their 13th birthday:

- At least one meningococcal vaccine with a date of service on or between the child's 11th and 13th birthday
- At least one tetanus, diphtheria toxoids, and acellular pertussis (Tdap) vaccine with a date of service on or between the child's 10th and 13th birthday
- At least two doses of human papillomavirus (HPV) vaccine on or between the 9th and 13th birthdays and with service at least 146 days apart.
- At least three doses of human papillomavirus (HPV) vaccine administered on or between 9th and 13th birthday with different dates of service.

Codes to identify vaccine procedures:

| Description   | СРТ                        |  |
|---------------|----------------------------|--|
| Meningococcal | 90619, 90623, 90733, 90734 |  |
| Tdap          | 90715                      |  |
| HPV           | 90649, 90650, 90651        |  |



### Lead Screening in Children (LSC) Prior to Second Birthday

| Description | CPT   |
|-------------|-------|
| Lead Tests  | 83655 |

### Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

| Description                                    | CPT   |
|--|---|
| Health and Behavior Assessment or Intervention | 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171 |

### Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

| Description          | CPT  |
|----------------------|--|
| Cholesterol Lab Test | 82465, 83718, 83722, 84478                             |
| Glucose Lab Test     | 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 |
| HbA1c Lab Test       | 83036, 83037   |
| LDL-C Lab Test       | 80061, 83700, 83701, 83704, 83721                      |



# Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)

| Antipsychotics (APP) |  |   |  |
|----------------------|--|---|--|
| Description          | CPT  | HCPCS   |  |
| Psychosocial Care    | 90832, 90833,<br>90834, 90836,<br>90837, 90838,<br>90839, 90840,<br>90845, 90849,<br>90853, 90875,<br>90876, 90880 | G0176: Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of patient's disabling mental health problems, per session (45 minutes or more) G0177: Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more) G0409: Social work and psychological services, directly relating to or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF qualified social worker or psychologist in a CORF) G0410: Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50 minutes G0411: Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes H0004: Behavioral health counseling and therapy, per 15 minutes H0035: Mental health partial hospitalization, treatment, less than 24 hours H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes H0037: Community psychiatric supportive treatment program, per diem H0038: Self-help/peer services, per 15 minutes H0039: Assertive community treatment, facetoface, per 15 minutes H0001: Rehabilitation program, per half day H2011: Crisis intervention service, per 15 minutes H2012: Behavioral health day treatment, per hour H2013: Psychiatric health facility service, per diem H2014: Skills training and development, per 15 minutes H2017: Psychosocial rehabilitation services, per diem H2019: Therapeutic behavioral services, per 15 minutes H2017: Psychosocial rehabilitation services, per diem S9481: Crisis intervention mental health services, per hour S9485: Crisis intervention mental health services, per diem |  |

### Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

| Description                     | CPT/CDT   |
|---------------------------------|-----------|
| Application of Fluoride Varnish | 88, D1206 |

The codes listed are for informational purposes only and are not intended to suggest or guide reimbursement. Refer to your provider contract or health plan contact for reimbursement information if applicable. For a complete list of CPT codes, go to the American Medical Association website at **ama-assn.org**.





Please visit **My Diverse Patients** for additional information about eLearning experiences on provider cultural competency and health equity.

